FENCING & SCREENING



SA


Experience the unparalleled enhancement a LYSAGHT[®] steel fence brings to your cherished home. Shaped from 100% Australian-made COLORBOND[®] steel, available in a contemporary array of popular colours, a LYSAGHT[®] fence doesn't need painting, requires only minimal maintenance, and is impervious to termite attack. Offering a selection of styles tailored for both non-cyclonic and cyclonic regions, a LYSAGHT[®] steel fence is the perfect choice for every proud Australian homeowner.

FENCING PROFILES

NEETASCREEN®

- Our original, classic styled boundary fence
- Panel width: 2370mm
- Panel height: 1500mm; 1800mm; 2100mm¹

Enhance your NEETASCREEN® fence with a classic lattice or SLATSCREEN® topper²





Lattice Panel Topper







SLATSCREEN® Topper

CUSTOMSCREEN®


- Lysaght's neighbour-friendly boundary fence
- Panel width: 2380mm
- Panel height: 1500mm; 1800mm; 2100mm¹


Enhance your CUSTOMSCREEN $^{\otimes}$ fence with a classic lattice, or SLATSCREEN $^{\otimes}$ topper 2





Lattice Panel Topper






SLATSCREEN® Topper

SLATSCREEN[™]

- Contemporary slat fencing or screening for your home
- Panel width: 2370mm
- Panel height: 1500mm; 1800mm; 2100mm





LOUVRESCREEN[™]

- Versatile louvred slat fencing or screening for your home
- Panel width: 1575mm
- Panel height: 1500mm; 1800mm; 2100mm



1				
-				
			the second second	
-	_	_		_
-				
-				
_				-
-		_		
_		-		
_				
-				
_			_	
_				
_				
_				
-				
-			-	
-				
-				
-				
-				
_				

STANDARD COLOUR RANGE

COLORBOND® STEEL STANDARD FENCING COLOUR RANGE



Availability

SLATSCREEN® is available in Domain®, Monument®, Riversand® and Shale Grey[™] only. LOUVRESCREEN[™] is available in Monument® and Woodland Grey® only.



WHY CHOOSE A LYSAGHT® STEEL FENCE?

SHAPED FROM 100% COLORBOND® STEEL, A LYSAGHT® STEEL FENCE DELIVERS QUALITY YOU CAN TRUST

- A range of profiles, colours and accessories lets you create a great looking fence
- Rot resistant and impervious to termite attack
- Requires minimal maintenance and no painting
- A fully tested system made to Australian standards
- Backed by the BlueScope material warranty³
- Peace of mind with a 10-year Lysaght structural warranty³
- Gates available for personal and vehicle access



SCAN THE QR CODE TO ACCESS MORE PRODUCT INFORMATION ON LYSAGHT.COM

LYSAGHT.COM

FOR SALES ENQUIRIES CALL 13 30 38 FOR TECHNICAL ENQUIRIES CALL 1800 641 417

PRODUCT DESCRIPTIONS

All descriptions, specifications, illustrations, drawings, data, dimensions, and weights contained in this publication and websites containing information from Lysaght are approximations only. They are intended by Lysaght to be a general description for information and identification purposes

- and do not create a sale by description. Lysaght reserves the right at any time to:
- a) Supply goods with such minor modifications from its drawings and specifications as it sees fit, and
 b) Alter specifications shown in its publications and websites to reflect changes made after the date of publication.

The colour swatches shown have been reproduced to represent actual product colours as accurately as possible. However, we recommend checking your chosen colour against an actual sample of the product before purchasing, as varying light conditions and limitations of the printing process may

affect colour tones and finishes.

Not all LYSAGHT® products are available in all materials, finishes and colours shown. Material, finish and colour availability is indicative only and is subject to change without notice – contact Lysaght, your reseller, builder, or installer for more information. ¹ 2100mm panel height option not available for 3100mm wide panel.

² IYAGHT[®] fences with toppers are available in overall heights of 1500mm, 1800mm and 2100mm (topper forms top part of panel), and in fence panel width of 2350mm.

³Warranty is subject to terms and conditions. Visit lysaght.com for details.

COLORBOND®, LYSAGHT® and ® product names are registered trademarks of BlueScope Steel Limited and ™ product names are trademarks of BlueScope Steel Limited. © 2023 BlueScope Steel Limited. ABN 16 000 011 058. All rights reserved. LYH2273 – 09/23

